

## PRODUCTION OF PEARL LIKE GLOSS AGENT

Patent Number: JP63139996  
Publication date: 1988-06-11  
Inventor(s): YAMAMOTO HISASHI; KONISHI SHOJI  
Applicant(s): LION CORP  
Requested Patent: JP63139996  
Application Number: JP19860287490 19861202  
Priority Number(s): JP19860287490 19861202  
IPC Classification: A61K7/075; C11D3/20  
EC Classification:  
EC Classification:  
Equivalents:

### Abstract

The title process involves prepn. of a pearly gloss agent dispersion contg. 1-35% surfactant and 0.1-35% solid fatty acid glycol ester XO (CH<sub>2</sub>CH<sub>2</sub>O) nCOR (X = H, C14-24 acyl; R = C13-23 alkyl; n = 1-3), followed by holding the dispersion at a temp. below the glycol ester m.p. (T) but above T - 15.degree. at temp. fluctuation .ltoreq. +/-0.5.degree. for 5-60 min. A uniform aq. soln. contg. ethylene glycol distearate 1, Na .alpha.-olefin sulfonate 10, polyethylene glycol lauryl ether sulfate Na salt 6, and coco fatty acid diethanolamide 4% was prepd. by heating the ingredients at 80-85.degree.; then the soln. was cooled to 50-70.degree., treated with 1% NaOBz nucleating agent, and held at 60 +/- 0.5.degree. for 5 min to give a product showing better pearly gloss than a control prepd. similarly but without the heat treatment. The product may be used in shampoos and detergents.